

ARTROGLYCAN INYECTABLE

Introduction:

Chondroitin Sulfate (CS) is an important constituent of the articular cartilage, forming part of proteoglycans, molecules that, due to their three-dimensional arrangement and hydrophilic character, provide to the cartilage with its selective permeation, water retention, elasticity and compressive strength.

It has been widely demonstrated that an exogenous contribution of CS as a therapy of degenerative articular and tendon joint pathologies yields excellent results thanks to its anti-inflammatory, analgesic, chondroprotective, chondroreparative effects and its ability to stimulate proteoglycan biosynthesis (chondrogenesis) and collagen biosynthesis (collagen genesis).

The use of Artroglycan is a natural therapy and is chosen for the treatment of articular pathologies.

Action:

Antiarthrosic, antiarthritic and articular cartilage regenerator.

Formula:

Each ml of the solution contains:

Chondroitin sulfate..... 120 mg

Thimerosal 0.2 mg

Excipients e.q. 1 ml

Species which the veterinary medicinal product is intended for:

Canines, Felines and Equines.

Therapeutic indications:

Non-infectious arthritis, osteoarthritis, hydrarthrosis and other degenerative arthropathies, chondropathies, sinovitis, tendinitis. Co-adjutant in the treatment and prophylaxis of osteoarticular pathologies, co-adjutant in fracture repair and after osteoarticular surgeries. Osteochondrosis. Articular anti-inflammatory.

Route of administration:

Subcutaneous or Intramuscular injection



Pharmaceutical form:

Injectable solution

Dosage:

Canines and Felines:

Administer according to the following scheme, at intervals of 4 to 7 days.

KILOS OF LIVE WEIGHT	DOSE
<10	1.0 ml
10-25	2.0 ml
>25	2.5 ml

The duration of the treatment is at the discretion of the Veterinarian, an average of 8 injections is recommended. Due to its safety property, the dose and duration of treatment are at the discretion of the Veterinarian.

Equines:

Administer a 5 ml dose at intervals of 5 to 7 days by intramuscular injection, an average of 5 or more injections is recommended. The duration of the treatment is at the discretion of the Veterinarian.

In severe pathologies it is advisable to initiate a treatment with Artroglycan Inyectable as attack treatment and continuing then with maintenance therapy based on Artroglycan Comprimidos (Canines and Felines) or Artroglycan Solución Oral (Canines, Felines and Equines).

Side effects:

Hypersensitivity to any component.

Commercial presentations:

- Cardboard box containing 1 vial of 10 ml of Chondroitin Sulfate 12 %.
- Cardboard box containing 5 vials of 5 ml of Chondroitin Sulfate 12 % each one.

Precautions:

The product should be preserved at room temperature and protected from light.

KEEP OUT OF REACH OF CHILDREN

VETERINARY USE ONLY



Luis de Sarro 501 (B1838DQK)
Luis Guillón, Buenos Aires, Argentina.
(011) 4367-6100 | syntex@syntexar.com

www.syntexar.com

tecnologías
para la
vida

Manufactured by:

SYNTEX S.A.

Luis de Sarro 501 – (B1838DQK)

Luis Guillón - Bs. As. – Argentina

Telephone/fax: +54 (011) 4367-6100

E-mail: syntex@syntexar.com